# EL®MARK The Brand of Electricity LED WORK FLOODLIGHTS



# **TECHNICAL SPECIFICATION**

#### LED FLOODLIGHTS



#### **Technical data:**

- Rated voltage: 230V; 50/60Hz
- Power: 30W; 50W
- Type of Bulb: LED
- Colour temperature: 5500K
- Material: Aluminium
- Color body: Yellow
- Working Temperature: -20°C +45°C
- Two meters 3\*1.0mm2 rubber cable with plug
- Beam angle: 110°
- Average lifetime 20000h
- IP code: IP65

#### **Features**:

- Lightweight and highly portable- it includes a comfort grip carry handle.
- Long lighting distance and wide lighting areas.
- With IP65 waterproof rating, it can be widely used for indoor, outdoor environment and adverse weather conditions
- Flexibility stand design
- Excellent heat dissipation due to the aluminum case to extend service life
- Suitable for instant need of light, when its necessary
- Economic low power consumption
- No radiation, no lead, mercury and other pollution elements.
- Shock and vibration resistant

## **TECHNICAL SPECIFICATION**

#### LED FLOODLIGHTS



### Area of application:

Extremely useful and versatile lighting solutions for workplaces, builders, tradesman, transport workers and camping fans etc.

#### Basic data:



Catalogue number	Model	Watt (W)	Whole lamp lumens (lm)	Colour temp. (K)	Beam angle	Size (mm)		
						Length	Height	Width
98FLOOD30S	FLOOD30S	30	2700	5500	110°	163.5	210	30.5
98FLOOD50S	FLOOD50S	50	4500	5500	110°	171	227	32


## Packing:

Catalogue number	Barcode	Packing/ Box (pcs)
98FLOOD30S	3800131219107	1/20
98FLOOD50S	3800131219114	1/20

# **TECHNICAL SPECIFICATION**



#### LED FLOODLIGHTS



EN 55015 • EN 61000-3-2 • EN 61000-3-3 • EN 61547 • EN 60598-2-5 • EN 13032-4 • EN 50581:2012

